



MODEL "K" DIFFUSER • 9/16" WIDE TEE CEILINGS 1-Slot Model




CEILING GRID TEE STYLE



Ceiling Mfg. Name _____
Ceiling Mfg. Model _____

ACCESSORY OPTIONS



MODEL	SLOT WIDTH S	W	C	NOMINAL INLET SIZE	B	D	H
K-50-1	1/2"	1-5/8"	1-7/8"	6" RD.	5-7/8"	5-7/8"	11-5/8"
K-75-1	3/4"	1-7/8"	2-1/8"	8" RD.	7-7/8"	7-7/8"	
K-100-1	1"	2-1/8"	2-3/8"	10" OV.	11-1/2"	8"	
K-150-1	1-1/2"	2-5/8"	2-7/8"	12" SLOT	14-1/2"	8"	
				12" OV.	13-7/8"	9-9/16"	13-5/8"
				12" RD.	11-7/8"	11-7/8"	15-5/8"

Material: 24 gauge zinc coated steel. Pattern controller extruded aluminum with felt wiper seal.

Finish: Diffuser face and pattern controller flat black.

NOTE: Factory installed side tees have 15/16" face.

Inlet Collar Location: Inlet collar may be offset for packaging purposes.

* Specify inlet side or side opposite inlet if ordering Options J or M.

Quantity	Model	Length L	Height H	Inlet Size	X	Y	Options	Tag


To maintain KEES' policy of continuous product development, we reserve the right to change prices, specifications, ratings and dimensions without notice or obligation.

Project	Location	Dwg. No.	Diff. 9/16" 1 Slot
Engineer			
Architect		Date	05/10
Contractor			




KEES INCORPORATED
400 S. Industrial Dr.
Elkhart Lake, WI 53020
Phone: (920) 876-3391
Fax: (920) 876-3065
Website: www.kees.com

MODEL "K" DIFFUSER • 9/16" WIDE TEE CEILINGS 2-Slot Model




CEILING GRID TEE STYLE



Ceiling Mfg. Name _____
 Ceiling Mfg. Model _____

ACCESSORY OPTIONS



MODEL	SLOT WIDTH S	W	C	NOMINAL INLET SIZE	B	D	H
K-50-2	1/2"	3-1/8"	3-3/8"	6" RD.	5-7/8"	5-7/8"	11-5/8"
K-75-2	3/4"	3-5/8"	3-7/8"	8" RD.	7-7/8"	7-7/8"	11-5/8"
K-100-2	1"	4-1/8"	4-3/8"	10" OV.	11-1/2"	8"	11-5/8"
K-150-2	1-1/2"	5-1/8"	5-3/8"	12" SLOT	14-1/2"	8"	11-5/8"
				10" RD.	9-7/8"	9-7/8"	13-5/8"
				12" OV.	13-7/8"	9-9/16"	13-5/8"
				12" RD.	11-7/8"	11-7/8"	15-5/8"

Material: 24 gauge zinc coated steel. Pattern controller extruded aluminum with felt wiper seal.

Finish: Diffuser face and pattern controller flat black, Tee (if provided) white.

NOTE: Factory installed center and side tees have 15/16" face.

Inlet Collar Location: Inlet collar may be offset for packaging purposes.

* Specify inlet side or side opposite inlet if ordering Options J or M.

Quantity	Model	Length L	Height H	Inlet Size	X	Y	Options	Tag


To maintain KEES' policy of continuous product development, we reserve the right to change prices, specifications, ratings and dimensions without notice or obligation.

Project	Location	Dwg. No.	Diff. 9/16" 2 Slot
Engineer			
Architect		Date	05/10
Contractor			




KEES INCORPORATED
 400 S. Industrial Dr.
 Elkhart Lake, WI 53020
 Phone: (920) 876-3391
 Fax: (920) 876-3065
 Website: www.kees.com

MODEL "K" DIFFUSER • 9/16" WIDE TEE CEILINGS 3-Slot Model




CEILING GRID TEE STYLE



Ceiling Mfg. Name _____
Ceiling Mfg. Model _____

ACCESSORY OPTIONS



NOTE: Factory installed center and side tees have 15/16" face.

				NOMINAL INLET SIZE	B	D	H			
MODEL	SLOT WIDTH S	W	C	6" RD.	5-7/8"	5-7/8"	11-5/8"			
				7" RD.	6-7/8"	6-7/8"				
				8" RD.	7-7/8"	7-7/8"				
				10" OV.	11-1/2"	8"				
				K-50-3	1/2"	4-5/8"	4-7/8"	12" SLOT	14-1/2"	8"
				K-75-3	3/4"	5-3/8"	5-5/8"	10" RD.	9-7/8"	9-7/8"
				K-100-3	1"	6-1/8"	6-3/8"	12" OV.	13-7/8"	9-9/16"
K-150-3	1-1/2"	7-5/8"	7-7/8"	12" RD.	11-7/8"	11-7/8"	15-5/8"			

Material: 24 gauge zinc coated steel. Pattern controller extruded aluminum with felt wiper seal.

Finish: Diffuser face and pattern controller flat black.

Inlet Collar Location: Inlet collar may be offset for packaging purposes.

* Specify inlet side or side opposite inlet if ordering Options J or M.

[illegible]


To maintain KEES' policy of continuous product development, we reserve the right to change prices, specifications, ratings and dimensions without notice or obligation.

Project			Location	 KEES INCORPORATED 400 S. Industrial Dr. Elkhart Lake, WI 53020 Phone: (920) 876-3391 Fax: (920) 876-3065 Website: www.kees.com
Engineer				
Architect		Dwg. No.	Diff. 9/16" 3 Slot	
Contractor		Date	05/10	




KEES INCORPORATED
400 S. Industrial Dr.
Elkhart Lake, WI 53020
Phone: (920) 876-3391
Fax: (920) 876-3065
Website: www.kees.com

MODEL "K" DIFFUSER • 9/16" WIDE TEE CEILINGS 4-Slot Model




CEILING GRID TEE STYLE



Ceiling Mfg. Name _____
Ceiling Mfg. Model _____

ACCESSORY OPTIONS



NOTE: Factory installed center and side tees have 15/16" face.

Material: 24 gauge zinc coated steel. Pattern controller extruded aluminum with felt wiper seal.

Finish: Diffuser face and pattern controller flat black.

Inlet Collar Location: Inlet collar may be offset for packaging purposes.

* Specify inlet side or side opposite inlet if ordering Options J or M.

				NOMINAL INLET SIZE	B	D	H
MODEL	SLOT WIDTH S	W	C	7" RD.	6-7/8"	6-7/8"	11-5/8"
				8" RD.	7-7/8"	7-7/8"	
				10" OV.	11-1/2"	8"	
				12" SLOT	14-1/2"	8"	
K-50-4	1/2"	6-1/8"	6-3/8"	10" RD.	9-7/8"	9-7/8"	13-5/8"
K-75-4	3/4"	7-1/8"	7-3/8"	12" OV.	13-7/8"	9-9/16"	
K-100-4	1"	8-1/8"	8-3/8"	14" SLOT	16-1/8"	9-7/8"	
K-150-4	1-1/2"	10-1/8"	10-3/8"	12" RD.	11-7/8"	11-7/8"	15-5/8"

[illegible]


To maintain KEES' policy of continuous product development, we reserve the right to change prices, specifications, ratings and dimensions without notice or obligation.

Project			Location	 KEES INCORPORATED 400 S. Industrial Dr. Elkhart Lake, WI 53020 Phone: (920) 876-3391 Fax: (920) 876-3065 Website: www.kees.com
Engineer				
Architect		Dwg. No.	Diff. 9/16" 4 Slot	
Contractor		Date	05/10	




KEES INCORPORATED
400 S. Industrial Dr.
Elkhart Lake, WI 53020
Phone: (920) 876-3391
Fax: (920) 876-3065
Website: www.kees.com

OPTIONS FOR "K" **AIR DIFFUSERS FOR USE** **WITH 9/16" TEE BAR GRID**




☐ **Option B**
 Inlet Damper With Manual Quadrant


☐ **Option A**
 Internal Insulation




☐ **Option D**
 Slot Provided In Ends To Fit Astride Ceiling Grid
 T-Bar (By Others). On 2 Slot Unit




☐ **Option E**
 Cross Notch For Cross "T"




☐ **Option G**
 Factory Installed
 Extruded 15/16" Center T.
 On 2 or More Slot Units




☐ **Option J**
 One side T
 furnished*



☐ **Option K**
 Both side T's
 furnished*



☐ **Option M**
 One Tile Angle For Tegular Ceiling



☐ **Option N**
 Two Tile Angles For Tegular Ceiling

☐ **Option Q**
 Entire Unit Painted White

To maintain KEES' policy of continuous product development, we reserve the right to change prices, specifications, ratings and dimensions without notice or obligation.

Project	Location		
Engineer			
Architect	Dwg. No.	OPTIONS	
Contractor	Date	05/10	



KEES INCORPORATED
 400 S. Industrial Dr.
 Elkhart Lake, WI 53020
 Phone: (920) 876-3391
 Fax: (920) 876-3065
 Website: www.kees.com